



CINE
LENSES

MEET THE ISCO FAMILY

TELL YOUR STORY.

#spherical
#anamorphic
#fullframe

SPHERICAL
3:2 full frame sensor

ANAMORPHIC
2.40:1 crop



STILLS shot with
ISCOsphericals (left) plus
ISCORAMA 54 CU-1.5x (right)

ISCOsphericals A+ EF

- Light-weight mini cine primes
- Focal lengths: 43, 58, 85 mm
- 2.4 T-stop
- Full frame coverage
- Consistent in size, weight and scale positions
- Unique vintage-style amber coating (A+)
- Made by Dulens, modified for Schneider-Kreuznach

ISCO FAMILY



Focus Lock

- Screw-on device
- Fix ISCOsphericals' focus at infinity



PL-Mount Kits

- User-changeable
- Incl. screws and cap
- 1 for each focal length



ISCORAMA 54 CU-1.5x

- Vintage-style anamorphic front adapter
- Squeeze factor 1.5x
- Close focus distance 1.4 m
- Single focus (ISCO patent)
- Stepless horizon adjustment
- Standard 0.8 gear on focus ring
- 1/4"-20 UNC bracket for rod support
- Made by Schneider-Kreuznach

ISCORAMA 54 Support Brackets

- For 15/19 mm rod support
- Small: 1/4 (mounted)
- Big: 1/4 + 3/8




Adapter M77/M72 Slim (mounted)



ISCORAMA Adapter Rings (Set or Single)

8 Adapter rings:
M77/M52 to M77/M72
and M77/M77 Spacer



Mix+Match: Buy all ISCO products individually – and/or choose one of these cost-effective sets:

	THE BIG BOX ISCO4all A+	STARTER KIT ISCO2all 43 A+ EF	STARTER KIT ISCO2all 58 A+ EF	STARTER KIT ISCO2all 85 A+ EF
ISCORAMA 54 CU-1.5x	✓	✓	✓	✓
ISCOspherical 2.4/43 A+ EF	✓	✓	-	-
ISCOspherical 2.4/58 A+ EF	✓	-	✓	-
ISCOspherical 2.4/85 A+ EF	✓	-	-	✓
ISCOspherical PL-Mount Kits	✓	-	-	-
ISCOspherical Focus Lock	✓	-	-	-

CONTACT US



FOLLOW US

